



Finished Quilt Size 83" X 98"

Finished Block Size 12" X 12"

Fabric Requirements



<u>Color:</u>	<u>Yardage Needed:</u>
Burgundy	4-3/8 Yard
Lt Gray	1-1/2 Yard
Dark Gray	3/4 Yard
Black	1-3/4 Yard
Color of Choice	3/4 Yard for Binding
Color of Choice	5 Yard for Backing
Based on 44" wide fabric & long strips are pieced	

This quilt is an awesome opportunity to do extensive machine quilting.

Block	Color	Pieces to Cut
<p>12-1/2" x 12-1/2"</p>	<p>A = Burgundy</p> <p>B = Light Gray</p> <p>C = Dark Gray</p>	<p>A: 6-7/8 X 6-7/8</p> <p>B: 7-1/4 X 7-1/4</p> <p>C: 6-1/2 X 6-1/2</p>
Blocks		
C = Centers	Dark Gray	Cut 4ea 6-1/2"x44" strips – Recut into 20ea 6-1/2" squares
B = Center Triangles	Light Gray	Cut 6ea 7-1/4"x44" strips – Recut into 40ea 7-1/4" squares – Recut ea sq in half twice on 45 degree from corner to corner...(80 triangles)
A = Outside Triangles	Burgundy	Cut 7ea 6-7/8" x 44" Strips – Recut into 40ea 6-7/8" squares – Recut ea sq in half on 45 degree from corner to corner...(80 triangles)
Sashings		
Sashings	Black	Cut 17ea 3-1/2"x44" Strips – Recut into 49ea 3-1/2"x12-1/2" strips
Cornerstones	Burgundy	Cut 3ea 3-1/2"x44" Strips – Recut into 30ea 3-1/2" squares
Borders		
Inner Borders	Light Gray	Cut 8ea 2-1/2"x44" Strips Need 2ea (top/bottom) borders 63-1/2 x 2-1/2 Need 2ea (side) borders 82-1/2 x 2-1/2
Outer Borders	Burgundy	Cut 10ea 8-1/2"x44" strips – Need 2ea (top/bottom) borders 87-1/2 x 8-1/2 Need 2ea (side) borders 98-1/2 x 8-1/2

All Measurements include 1/4" seam allowance...

A rule of thumb is to add 1/8 to 1/2 yard to all yardage to account for shrinkage, straightening, cutting errors, and prints that may require special cutting to get the best results. You should protect your investment in time and fabric by making a sample block from scrap material before cutting into your fabric.

Quilt Assembly:

To Assemble the Blocks and Sashing:

1. Sew a light gray triangle to opposite edges of the dark gray 6-1/2" square. Then add two remaining light gray triangles to the remaining edges of the dark gray square to make the center unit. Press all seam allowances away from the center square.
2. Sew a burgundy triangle to the opposite edges of the center unit made in step 1. Add two burgundy triangles to remaining edges. Press all seam allowances away from the center. Finished block should measure 12-1/2" square. You will need 20 blocks to complete quilt.
3. Sew a 3-1/2" x 12-1/2" black sashing piece to the right-hand side of each block made in step 2. Press seams towards sashing. Assemble the sashing squares into 5 rows of 4 squares each. Sew a 3-1/2" x 12-1/2" black sashing strip to the left-hand side of each row. Press this seam towards the block.
4. Sew a 3-1/2" burgundy square (cornerstone) to the right-hand side of each remaining 3-1/2" x 12-1/2" sashing strips. Press the seams toward the sashing pieces. Assemble the sashing and cornerstone units into six rows of four units each. Sew a cornerstone to the left-hand side of each row.
5. Assemble the rows of blocks and sashing units to complete the center of quilt top as shown in picture of quilt.

To Add the Border:



At this point your quilt should measure 63-1/2 from side to side and 78-1/2 from top to bottom.

1. Sew two 2-1/2" x 44" light gray strips together on a 45 and trim seam to 1/4". Press seam. Make two. Measure your quilt top from center left to right and cut strip to this measurement. Sew one strip to top and one strip to bottom of quilt top. Repeat this step for the side borders measuring from center top to bottom including the borders just added. Sew one strip to each side.
2. Repeat step 1 for second border using the 8-1/2" x 44" burgundy strips.

A free pattern is available for download; the templates in the downloadable pattern must be copied and/or enlarged.

Amish Basic Block


Key Block (29/100 actual size)





C

$6\text{-}1/2 \times 6\text{-}1/2$



B

$6\text{-}1/2 \times 4\text{-}3/4 \times 4\text{-}3/4$